

**BMW Motorrad** 



# **BMW Accessories Overview**





# **BMW Motorrad USA**

# S 1000 RR (K67) Accessory Overview



**Overview:** BMW Motorrad has a diverse range of accessories for the new S 1000 RR (K67). Some of these products are already familiar in the appearance of HP but are now continued in the M-branding which is new for BMW Motorrad.

- M carbon wheels, offer outstanding riding dynamics and comfortable handling on the road.
- M carbon front and rear wheel covers protect the rider and the motorcycle as well as accentuate the bike's dynamics with a suitable sporty appearance.
- Black anodized forged wheels have thicker brake disks with angled valves and are tried and tested on the racetrack.
- M axle protectors are made of highly abrasion-resistant plastic which protect the front axle fork and swingarm from scratches in the event of a tip-over or slide.
- M rider and passenger footrests are milled from an anodized aluminum alloy and provide the bike with an even sportier appearance as well as more foot grip which additionally aids in preventing the rider and passenger's foot from accidentally slipping off the pegs.
- M clutch lever and brake lever are CNC-milled from corrosion-resistant anodized aluminum and underline the motorcycle's sportiness particularly impressively.
- M clutch lever and brake lever protector make a real statement in terms of uncompromising sportiness thanks to its dynamic design.
- M engine protectors with replaceable plastic pad protect the engine from grinding directly on the tarmac in extreme cornering situations as well as protecting the engine housing in the event of a tip-over.
- M carbon pinion cover, tank trim panels, upper side panels, and airbox cover are highly impactresistant which aid in overall weight reduction of the motorcycle and are finished with a UV-resistant, high-gloss paint which impressively highlights the motorcycle's uncompromising sportiness.

The contents of this document are confidential and should not be shared with third parties for distribution.

- Luggage options that are offered which provide a great deal of storage space include the following: tank bag, bag for the passenger seat, rear bag, and a foldable backpack.
- Personal comfort needs can be met by various windshields and motorcycle seat heights offered.
- Radiator and oil cooler guard, anti-theft alarm system, and protective film for the TFT display provide more active safety and protection to the motorcycle.
- Finally come the familiar, model-independent products, such as a tire pressure travel pack, all weather cover, BMW Motorrad motorcycle carpet, BMW Motorrad battery charging device, various care products, as well as the corresponding original BMW Motorrad engine oil.

**Parts Information:** Please see the attached list below for detailed parts information. All prices listed are M.S.R.P. and may be subject to change.

| Product<br>Description        | Part Number Product Overview                                  |   | Photo          | MSRP       |
|-------------------------------|---|---|----------------|------------|
|                               |   | M Performance Parts   |                |            |
| M Rearsets                    | 77 25 1 540 005<br>(+) 77 25 1 540 006<br>(+) 46 71 9 898 542 | <ul> <li>CNC-milled HP footrest system.</li> <li>High-strength aluminum alloy, lightweight and dimensionally stable.</li> <li>Numerous adjustment options for footrests as well as shift lever.</li> <li>Ideal adjustment to suit individual requirements for substantial enhancement of comfort and safety.</li> <li>3-color anodized.</li> <li>Carbon Fiber heel guard</li> </ul>   |                | \$1,240.09 |
| M Rider<br>Footrests          | 77 25 8 405 001<br>(+) 77 25 8 405 002                        | <ul> <li>The M rider footrests are milled from an anodized aluminum alloy for a sporty appearance.</li> <li>They are very light-weight, but dimensionally stable, offering the rider a secure hold at all times.</li> </ul>   |                | \$335.22   |
| M Passenger<br>Footrests, Set | 77 25 8 405 003<br>(+) 77 25 8 405 004                        | <ul> <li>Same design as the rider footpegs found on the M Rearsets.</li> <li>Replaces standard passenger footpegs.</li> </ul>   | Same Statement | \$287.98   |
| M Folding<br>Brake Lever      | 77 22 8 404 859   | <ul> <li>CNC-milled aluminum lever with hinged lever<br/>can pivot upward and then return to its original<br/>position to reduce the risk of bending or<br/>breaking if the motorcycle falls.</li> <li>Ergonomically rounded lever contours.</li> <li>Multiple adjustment settings available for<br/>clearance between the lever and the handlebar<br/>grip.</li> <li>Ergonomic adjustment mechanism with small<br/>lever (instead of knob).</li> </ul> |                | \$267.00   |

| M Folding<br>Clutch Lever                                 | 77 22 8 406 739   | <ul> <li>CNC-milled aluminum lever with hinged lever<br/>can pivot upward and then return to its original<br/>position to reduce the risk of bending or<br/>breaking if the motorcycle falls.</li> <li>Ergonomically rounded lever contours.</li> <li>Multiple adjustment settings available for<br/>clearance between the lever and the handlebar<br/>grip.</li> <li>Ergonomic adjustment mechanism with small<br/>lever (instead of knob).</li> </ul>  |  | \$265.00   |
|---|---|--|--|------------|
| M Race<br>Handbrake<br>Lever with<br>Remote<br>Adjustment | 77 22 1 540 009   | <ul> <li>Optimized lever contour for race track use.</li> <li>Remote adjustment of the brake pressure point while on the move.         <ul> <li>Knob positioned on left-hand side of the handlebars enables the rider to adjust handbrake-lever play to compensate for drift of the pressure point during racing conditions.</li> <li>Hinge mechanism: If the motorcycle is dropped the handbrake lever flips up; this is reversible.</li> <li>Span between handlebar grip and handlebar lever is individually adjustable.</li> <li>Matching M folding clutch lever available separately.</li> </ul> </li> </ul> | R  | \$386.00   |
| M Brake Lever<br>Protector                                | 77 22 1 539 588   | <ul> <li>Makes a clear statement in terms of<br/>uncompromising sportiness.</li> <li>The curved bow made of aluminum and plastic<br/>protects the handlebar brake lever from<br/>accidental actuation if it comes into contact with<br/>another vehicle (essential in a racetrack<br/>environment).</li> <li>Two tone color scheme (black/silver) with laser-<br/>etched M logo.</li> <li>Complements the design of the motorcycle.</li> <li>Matches the clutch lever protector.</li> </ul>  | and the second s | \$223.14   |
| M Clutch Lever<br>Protector <sup>1</sup>                  | 77 22 1 539 587   | <ul> <li>Makes a clear statement in terms of<br/>uncompromising sportiness.</li> <li>The curved bow made of aluminum and plastic<br/>protects the clutch lever from accidental<br/>actuation if it comes into contact with another<br/>vehicle (essential in a racetrack environment).</li> <li>Two tone color scheme (black/silver) with laser-<br/>etched M logo.</li> <li>Complements the design of the motorcycle.</li> <li>Matches the brake lever protector.</li> </ul>  | - And A  | \$223.14   |
| M Carbon<br>Wheel Cover,<br>Front                         | 77 31 8 404 067<br>(+) 46 63 8 534 943 x4<br>(+) 46 63 7 714 241 x4   | <ul> <li>Made of carbon fiber reinforced plastic with UV-resistant high-gloss lacquer finish.</li> <li>Replacement for the standard plastic wheel cover.</li> <li>Opportunity for customization offering visual enhancement and reduction in weight.</li> </ul>  | T  | \$636.82   |
| M Carbon Rear<br>Wheel Cover<br>with Chain<br>Guard       | 77 31 8 404 078<br>(+) 77 31 8 404 077<br>(+) 46 63 7 714 241<br>(+) 46 63 8 534 943 x2<br>(+) 34 32 7 697 824 x2<br>(+) 51 14 8 197 908 x3 | <ul> <li>Made of carbon fiber reinforced plastic with UV-resistant high-gloss lacquer finish.</li> <li>Replacement for the standard plastic wheel cover.</li> <li>Opportunity for customization offering visual enhancement and reduction in weight.</li> </ul>  |  | \$1,075.25 |

|                                   | 1   |  |            |
|-----------------------------------|---|--|------------|
| M Carbon<br>Upper Side<br>Fairing | 77 31 8 404 073<br>(+) 77 31 8 404 074<br>(+) 46 63 8 532 314 x2<br>(+) 46 63 8 521 653 x2  | <ul> <li>Made of carbon fiber reinforced plastic with UV-resistant high-gloss lacquer finish.</li> <li>Replacement for the standard plastic fairing part.</li> <li>Opportunity for customization offering visual enhancement and reduction in weight.</li> </ul>   | \$1,249.24 |
| M Carbon Tank<br>Trim             | 77 31 8 404 071<br>(+) 77 31 8 404 072<br>(+) 46 63 8 406 049 x2<br>(+) 46 63 8 534 938 x4<br>(+) 46 63 7 714 241 x4<br>(+) 07 14 9 172 157 x10 | <ul> <li>Made of carbon fiber reinforced plastic with UV-resistant high-gloss lacquer finish.</li> <li>Replacement for the standard plastic tank trim.</li> <li>Opportunity for customization offering visual enhancement and reduction in weight.</li> </ul>  | \$1,209.82 |
| M Carbon<br>Airbox Cover          | 77 31 8 404 075<br>(+) 46 63 8 534 938 x2<br>(+) 46 63 7 714 241 x2   | <ul> <li>Made of carbon fiber reinforced plastic with UV-resistant high-gloss lacquer finish.</li> <li>Replacement for the standard plastic airbox cover.</li> <li>Opportunity for customization offering visual enhancement and reduction in weight.</li> </ul>   | \$590.88   |
| M Pinion Cover                    | 77 12 8 403 925<br>(+) 46 63 8 527 780<br>(+) 46 63 7 714 241   | <ul> <li>Made of carbon fiber reinforced plastic with UV-resistant high-gloss lacquer finish.</li> <li>Replacement for the standard plastic pinion cover.</li> <li>Opportunity for customization offering visual enhancement and reduction in weight.</li> </ul>   | \$519.11   |
| M Race Cover<br>Kit <sup>1</sup>  | 77 31 8 404 052   | <ul> <li>The M cover kit fills openings in the body left by removal of mirrors and the license plate bracket.</li> <li>The front-fairing panel is easily fastened back in place with the mirror caps and provided screws.</li> <li>Made of impact-resistant plastic.</li> <li>Showcases professional attachment of the front fairing and rear tail section.</li> <li>Suitable for racetrack use of the machine.</li> </ul> | \$83.00    |
| M Race Chain<br>Tensioner         | 77 25 8 404 852   | <ul> <li>The M chain tensioner makes it possible to set<br/>the chain tension as well as the rear wheel<br/>alignment with precision.</li> <li>Gives the motorcycle a sporty appearance.</li> <li>CNC-milled from high-strength aluminum alloy,<br/>light and extremely dimensionally stable</li> <li>Double anodized for maximum corrosion<br/>protection.</li> <li>Brand identification with M logo.</li> </ul>          | \$130.16   |
| M Assembly<br>Stand Spools        | 77 25 9 457 043   | <ul> <li>The M assembly stand spools insert into the swing arm to support the rear paddock stand.</li> <li>Essential for quick wheel swaps or chain adjustments when used in conjunction with the BMW Motorrad rear assembly stand while at the racetrack or at home.</li> <li>Brand identification with M logo.</li> </ul>  | \$60.00    |
| M Lightweight<br>Li-ion Battery   | 61 21 8 563 911   | • This lightweight, high performance Li-ion battery helps contribute to the motorcycles overall handling and performance thanks to its reduction in weight.  | \$345.00   |

### Page **5** of **12**

| M Seat                   | L: 52 53 8 406 267<br>S: 52 53 8 406 265<br>H: 52 53 8 406 266   | <ul> <li>The M seat was designed especially for the racetrack and reduces fatigue thanks to maximum feedback.</li> <li>The nonslip upper material and firm foam provide the rider with optimum grip when chasing the all-important tenths of seconds.</li> <li>Firm seat foam for more support and feedback.</li> <li>For a more relaxed ride and increased stability.</li> <li>Integrated M logo.</li> <li>Seat height: <ul> <li>Low: 32"</li> <li>Standard: 32.4"</li> <li>High: 33.4"</li> </ul> </li> </ul> | \$423.09   |
|--------------------------|--|---|--|
| M Forged<br>Wheel, Front | Retrofit from cast wheel:<br>36 31 8 389 048<br>(+) $34 52 8 406 053$<br>(+) $34 11 8 389 001 x2$<br>(+) $07 12 9 907 382 x12$<br>Without TPM:<br>(o) $36 31 8 388 689$<br>With TPM:<br>(o) $36 31 8 567 683$<br>(o) $71 21 7 698 971$<br>(o) $36 31 8 542 009$<br>(o) $36 31 8 542 010$<br>Retrofit from carbon wheel:<br>36 31 8 389 048<br>(+) $34 52 8 406 053$<br>(+) $07 12 9 907 382 x12$<br>Without TPM:<br>(o) $36 31 8 388 689$<br>With TPM:<br>(o) $36 31 8 567 683$<br>(o) $71 21 7 698 971$<br>(o) $36 31 8 542 009$<br>(o) $36 31 8 542 010$ | <ul> <li>Forged aluminum front wheel, black anodized</li> <li>Reduction in weight combined with optimum strength (approx. 4.4 lbs lighter than standard cast wheel).</li> <li>Equipped with high-quality 5 mm thick brake disks when converting from standard cast wheel (carbon wheel already equipped with 5 mm brake disks) which provide additional braking support.</li> <li>Improved handling and suspension response.</li> <li>Rim size: 3.5 x 17".</li> <li>Tire size: 120/70 ZR17.</li> </ul>          | Without TPM:<br>\$2,256.17<br>With TPM:<br>\$2,459.90<br>Without TPM:<br>\$1,396.07<br>With TPM:<br>\$1,599.80 |

| M Forged<br>Wheel, Rear  | 36 31 8 389 049<br>(+) 33 81 8 394 117<br>(+) 33 81 8 394 323<br>(+) 33 81 8 522 838 x5<br>(+) 34 11 7 709 137 x5<br>Without TPM:<br>(o) 36 31 8 388 689<br>With TPM:<br>(o) 36 31 8 567 683<br>(o) 71 21 7 698 971<br>(o) 36 31 8 542 009<br>(o) 36 31 8 542 010<br>Retrofit from carbon wheel:<br>36 31 8 389 049<br>(+) 33 81 8 522 838 x5<br>(+) 34 11 7 709 137 x5<br>Without TPM:<br>(o) 36 31 8 388 689<br>With TPM:<br>(o) 36 31 8 567 683<br>(o) 71 21 7 698 971<br>(o) 36 31 8 542 009<br>(o) 36 31 8 542 010 | <ul> <li>Forged aluminum rear wheel, black anodized.</li> <li>Reduction in weight combined with optimum strength (approx. 4.4 lbs lighter than standard).</li> <li>Improved handling and suspension response.</li> <li>Rim size: 6 x 17".</li> <li>Tire size: 200/55 ZR17.</li> </ul>   | Without TPM:<br>\$2,123.32<br>With TPM:<br>\$2,327.05<br>Without TPM:<br>\$1,452.83<br>With TPM:<br>\$1,656.56 |
|--------------------------|---|---|--|
| M Carbon<br>Wheel, Front | Retrofit from cast wheel:<br>36 31 8 356 868<br>(+) 34 52 8 406 053<br>(+) 34 11 8 389 001 x2<br>(+) 07 12 9 907 382 x12<br>Without TPM:<br>(o) 36 31 8 388 689<br>With TPM:<br>(o) 36 31 8 567 683<br>(o) 71 21 7 698 971<br>(o) 36 31 8 542 009<br>(o) 36 31 8 542 010<br>Retrofit from forged wheel:<br>36 31 8 356 868<br>(+) 34 52 8 406 053<br>(+) 07 12 9 907 382 x12<br>Without TPM:<br>(o) 36 31 8 567 683<br>(o) 71 21 7 698 971<br>(o) 36 31 8 542 009<br>(o) 36 31 8 542 010                                | <ul> <li>High-quality Monocoque carbon rim.</li> <li>Reduction in weight (approx. 5.5 lbs. lighter than cast wheel).</li> <li>Equipped with high-quality 5 mm thick brake disks when converting from standard cast wheel (forged wheel already equipped with 5 mm brake disks) which provide additional braking support.</li> <li>Minimized gyroscopic effect aids in easier turning of the machine.</li> <li>Increased speed thanks to delayed braking points.</li> <li>Improved handling and suspension response.</li> <li>Rim size: 3.5 x 17".</li> <li>Tire size: 120/70 ZR17.</li> </ul> | Without TPM:<br>\$4,139.83<br>With TPM:<br>\$4,343.56<br>Without TPM:<br>\$3,279.73<br>With TPM:<br>\$3,483.46 |

| M Carbon<br>Wheel, Rear    | Retrofit from cast wheel:<br>36 31 8 356 869<br>(+) 33 81 8 394 117<br>(+) 33 81 8 394 323<br>(+) 33 81 8 522 838 x5<br>(+) 34 11 7 709 137 x5<br>Without TPM:<br>(o) 36 31 8 388 689<br>With TPM:<br>(o) 36 31 8 567 683<br>(o) 71 21 7 698 971<br>(o) 36 31 8 542 009<br>(o) 36 31 8 542 010<br>Retrofit from forged wheel:<br>36 31 8 356 869<br>(+) 33 81 8 522 838 x5<br>(+) 34 11 7 709 137 x5<br>Without TPM:<br>(o) 36 31 8 367 683<br>(o) 71 21 7 698 971<br>(o) 36 31 8 567 683<br>(o) 71 21 7 698 971<br>(o) 36 31 8 542 009<br>(o) 36 31 8 542 009<br>(o) 36 31 8 542 010 | <ul> <li>High-quality Monocoque carbon rim.</li> <li>Reduction in weight (approx. 5.5 lbs. lighter than cast wheel).</li> <li>Minimized gyroscopic effect aids in easier turning of the machine.</li> <li>Increased speed thanks to delayed braking points.</li> <li>Improved handling and suspension response.</li> <li>Rim size: 6 x 17".</li> <li>Tire size: 200/55 ZR17.</li> </ul>  | Without TPM:<br>\$4,299.18<br>With TPM:<br>\$4,502.91<br>Without TPM:<br>\$3,628.69<br>With TPM:<br>\$3,832.42 |
|----------------------------|---|--|--|
|                            | Γ   | Storage  |  |
| Tank Bag, 1.5L             | 77 45 2 463 725   | <ul> <li>The 1.5 liter tank bag is perfectly integrated in the racing design of the machine.</li> <li>Accurately fitted attachment to the tank cover with Tenax snap fasteners.</li> <li>Watertight removable inner bag with roll closure.</li> <li>Polyester construction.</li> <li>Cable hole for a smartphone charging cable.</li> <li>Slip-resistant floor panel for secure hold.</li> </ul>   | \$161.00   |
| Tank Bag, 10L              | 77 45 2 463 723   | <ul> <li>10 liter tank bag with strap connection<br/>integrates perfectly in the racing design of the<br/>machine.</li> <li>Plenty of storage space for the most important<br/>travel essentials.</li> <li>Watertight removable inner bag.</li> <li>6 I volume which can be extended to 10 liters.</li> <li>Polyester construction.</li> <li>Cable hole for a smartphone charging cable.</li> <li>Slip-resistant floor panel for secure hold.</li> </ul> | \$346.00   |
| Rear Bag, 20L <sup>2</sup> | 77 49 2 463 726   | <ul> <li>The 20 liter rear bag fits snugly on the passenger seat without using any special brackets.</li> <li>The luggage remains well protected in all types of weather in the watertight removable inner bag.</li> <li>Accurate fit, secure attachment with tension belt.</li> <li>Slip-resistant floor panel for secure hold.</li> <li>Carry handle and removable shoulder strap.</li> </ul>  | \$398.00   |

| Passenger Seat<br>Bag,10L <sup>2</sup>     | 77 45 2 463 724   | <ul> <li>The 10 liter passenger seat bag is perfectly adapted to the machine's racing design.</li> <li>It can be fitted accurately and snugly onto the passenger seat without any special brackets.</li> <li>High-quality bag with adjustable volume from 7 I to 10 l.</li> <li>Secure attachment with tension belt.</li> <li>Watertight removable inner bag with roll closure.</li> <li>Slip-resistant floor panel for secure hold.</li> <li>Carry handle and removable shoulder strap.</li> </ul> |   | \$191.00 |
|--|---|---|---|----------|
|  |   | Design  |   |          |
| Plastic Tail<br>Hump Cover                 | 46 62 8 389 026<br>(+) 46 63 8 532 314 x2<br>(+) 46 63 8 521 653 x2<br>(+) 52 53 7 677 424 x4<br>Red:<br>(o) 46 63 9 467 799<br>White:<br>(o) 46 63 9 467 800 | <ul> <li>Pillion seat cover in vehicle color for enhanced appearance.</li> <li>Exchange installation in place of pillion seat.</li> </ul>   |   | \$196.58 |
| M Oil Fill Cap                             | 77 31 9 457 024   | <ul> <li>The M oil filler neck, made of black anodized aluminum visually highlights the bike's sporty appearance.</li> <li>The sealing cap has three bores, ensuring it can't be untwisted on the racetrack with the use of safety wire.</li> <li>Special Allen key tool used for securing and removing the cap allows for extra security.</li> <li>White laser-etched M logos.</li> </ul>  | 0 | \$TBD    |
| M Circlips for<br>Top Triple Tree<br>Clamp | 31 42 8 388 983<br>(+) 31 42 8 388 984  | <ul> <li>High-quality M fork clamps (complete top fork<br/>bridge not included) are milled from a high-<br/>strength aluminum alloy which makes them<br/>particularly light but dimensionally stable at the<br/>same time.</li> <li>Anodization provides optimum corrosion<br/>protection in all types of weather.</li> <li>Necessary for installation of stub/clip-on<br/>handlebars.</li> </ul>   |   | \$173.25 |
|  |   | Ergonomics and Comfort  |   | I        |
| Passenger Seat                             | 52 53 8 569 758   | The standard passenger seat in Black offers     pleasant and low-fatigue seating comfort for the     passenger even on longer tours.  |   | \$352.58 |
| Windshield,<br>High                        | 77 33 8 404 137   | <ul> <li>High-quality windshield with dome shape which<br/>is typically used for racing.</li> <li>2" higher than the standard windshield.</li> <li>Improved wind protection for the rider.</li> <li>Increase in maximum speed due to reduced<br/>drag.</li> <li>Scratch-resistant coating.</li> <li>Made of highly stable polycarbonate.</li> </ul>   |   | \$238.94 |
| Tinted<br>Windshield                       | 77 33 8 406 917   | <ul> <li>Tinted windshield for visual enhancement and custom look.</li> <li>Emphasizes the sporty characteristics of the motorcycle.</li> <li>Identical shape to the standard windshield.</li> <li>Scratch-resistant coating.</li> <li>Made of highly stable tinted polycarbonate.</li> </ul>   |   | \$274.79 |

| Tinted<br>Windshield,<br>High                          | 77 33 8 404 138  | <ul> <li>High-quality windshield with dome shape which is typically used for racing.</li> <li>Tinted windshield for visual enhancement and custom look.</li> <li>Emphasizes the sporty characteristics of the motorcycle.</li> <li>2" higher than the standard windshield.</li> <li>Improved wind protection for the rider.</li> <li>Increase in maximum speed due to reduced drag.</li> <li>Scratch-resistant coating.</li> <li>Made of highly stable tinted polycarbonate.</li> </ul> |                         | \$274.79 |
|--|--|---|-------------------------|----------|
|  |  | -   |                         |          |
| M Axle<br>Protector Set                                | 77 03 9 443 012  | <ul> <li>Crash pads for front and rear axles in extremely abrasion-resistant plastic.</li> <li>Protect fork and swing arm against scratches if motorcycle falls or tips over.</li> <li>Brand identification with M logo.</li> <li>Note: 2 sets necessary for front and rear axle retrofit</li> </ul>  |                         | \$117.42 |
| M Engine<br>Protectors                                 | 11 12 9 457 018<br>(+) 11 12 9 457 023   | <ul> <li>Aluminum protectors with replaceable plastic<br/>anti-abrasion pads.</li> <li>Enhanced protection against abrasion damage<br/>to engine parts and the engine damage that it<br/>can cause (oil loss).</li> </ul>   |                         | \$TBD    |
| Radiator and Oil<br>Cooler<br>Protective<br>Guard      | 77 31 8 414 688  | <ul> <li>The radiator and oil cooler guard reliably protects from tire abrasion and damage caused by stone chips on the racetrack or street.</li> <li>The two-piece guard is made of polyamide and manufactured so that it fits perfectly onto the upper coolant radiator and the lower oil cooler which adapts perfectly to the motorcycle's aerodynamics thanks to its design.</li> </ul>   |                         | \$67.95  |
| Protective Film<br>for TFT Display                     | 77 52 2 462 777  | <ul> <li>Self-adhesive film that protects the display<br/>against scratches.</li> </ul>   | No. of Concession, Name | \$69.00  |
| Anti-theft<br>Alarm System<br>(DWA)                    | 77 53 9 443 591<br>(+) 65 75 8 405 405<br>(+) 18 51 8 531 936 x2<br>(+) 46 63 8 532 314 x2 | <ul> <li>The system reacts to changes in position and<br/>vibrations with a clearly detectable signal and a<br/>flashing hazard warning lights system.</li> </ul>   |                         | \$432.58 |
| Brake Disc<br>Lock with Anti-<br>Theft Alarm<br>System | 77 25 2 414 845  | <ul> <li>The BMW Motorrad brake disc lock represents ideal theft-proofing when on the go.</li> <li>The integrated anti-theft alarm system, a lock bolt, as well as a housing made of especially hardened steel reliably protect against theft and lock manipulation.</li> <li>It can be easily stowed away thanks to its compact dimensions.</li> </ul>   |                         | \$307.00 |

| All Weather<br>Cover                   | 71 60 2 212 081 | <ul> <li>Features of these premium all weather covers include:</li> <li>Double stitched and heat sealed seams making covers 100% water proof.</li> <li>UltraMax® material to help prevent fading and breakdown of materials.</li> <li>Heat resistant panels.</li> <li>Soft flannel panel sewn inside to protect windscreen and headlight from scuffing.</li> <li>Clear license plate viewing panel for street parking.</li> </ul>  |  | \$119.00 |
|--|-----------------|--|--|----------|
|  | 1               | Communication  |  |          |
| Fit-for-All<br>Communication<br>System | 76 51 2 463 757 | <ul> <li>The BMW Motorrad Fit-for-All communication system combines functionality and a sleek design into a single unit.</li> <li>The BMW Motorrad Fit-for-All communication system fits in most commonly available helmets.</li> <li>Helmet-independent communication system.</li> <li>Rider-passenger communication system.</li> <li>Easy helmet integration and will fit most helmets.</li> <li>Simple operation with the 3-button operating unit.</li> <li>Hear navigation voice prompts.</li> <li>Music streaming using BMW-compatible audio sources, also for the passenger.</li> <li>Telephone service, provided that a Bluetooth-capable mobile phone is connected.</li> <li>Automatic suppression of interference noise.</li> <li>Operating time of up to 8 hours (560 mAh), depending on use.</li> <li>See bulletin AS-A-14-19 for further details.</li> </ul> | -)=(-4   | \$199.00 |
|  | 1               | Maintenance and Technology   |  |          |
| Battery<br>Charger <sup>3</sup>        | 71 60 2 365 297 | <ul> <li>This charger supersedes the Advance Charger<br/>II (72 11 0 419 496) and comes equipped with<br/>three connection cables for battery<br/>connections: DIN Auxiliary socket, fused eyelet<br/>terminals and fused alligator clamps.</li> <li>See bulletin 71-09-2015 (016) for details</li> <li>Cannot be used on M lightweight Li-ion battery.</li> </ul>   |  | \$89.00  |
| Advanced<br>Battery Charger            | 77 02 8 551 897 | <ul> <li>High-quality, microprocessor-controlled charger and tender for 12V motorcycle batteries.</li> <li>Suitable for:         <ul> <li>Ordinary lead-acid batteries and maintenance-free lead-acid batteries (gel or AGM), with capacities between 6 and 25 Ah.</li> <li>BMW Brand Li-ion batteries (not to be used with other brand Li-ion batteries)</li> </ul> </li> <li>Also for motorcycles with CAN bus technology.</li> <li>Charging via the motorcycle's on-board socket or alternatively with the enclosed adapter cable connected directly to the battery terminals of the motorcycle battery.</li> <li>The device can remain connected to the vehicle or to the battery for a lengthy period of time as the charger will monitor the voltage and recharge as necessary.</li> <li>Proof against short circuit, polarity reversal and overload.</li> </ul>   | No. of the second secon | \$189.00 |

|   |                 | • The machine can be jacked up quickly and  |   |          |
|---|-----------------|---|---|----------|
| Paddock Stand,<br>Rear                        | 77 02 8 551 854 | <ul> <li>safely using the Sport auxiliary stand.</li> <li>The light and yet stable design made of painted steel tubing has four large rollers and requires minimal effort when jacking up the bike.</li> <li>The very stable stand makes repair and maintenance work easier.</li> </ul>   |   | \$292.00 |
| Paddock Stand,<br>Front                       | 77 02 8 551 859 | <ul> <li>The machine can be jacked up quickly and safely using the Sport auxiliary stand.</li> <li>The light and yet stable design made of painted steel tubing has four large rollers and requires minimal effort when jacking up the bike.</li> <li>The very stable stand makes repair and maintenance work easier.</li> </ul>  |   | \$292.00 |
| Foldable<br>Backpack                          | 77 49 2 464 354 | <ul> <li>It stores small and can be kept in any one of countless places on the motorcycle.</li> <li>When you need to carry items on or off the motorcycle, simply unfold the backpack from its integrated zippered pocket, fill it with belongings, and you're ready to go.</li> <li>12 liters of storage space when unfolded.</li> <li>Approx. dimensions when pack is folded up are 4.75 x 3.1 x 1.2"</li> <li>Straps are adjustable</li> <li>Made of Nylon fabric with a water repellent coating.</li> </ul>               | erecyclure<br>V   | \$14.38  |
| Motorcycle<br>Carpet                          | 77 02 2 414 857 | <ul> <li>Mat for placing underneath one motorcycle, 8.2 x 3.7 ft.</li> <li>Attractive design with the "BMW Motorrad" imprinted on the sides.</li> <li>For pit use at race tracks and also in the workshop or garage.</li> <li>Protection for the ground, to prevent staining from oil or fuel.</li> <li>Compliant with the FIM requirements for minimum size, absorbency and thickness.</li> <li>Overall thickness: 3/8 in.</li> <li>Top material: 100 % high-twist nylon.</li> <li>Backing: 100 % nitrile rubber.</li> </ul> | E .   | \$231.00 |
| Tire Pressure<br>Travel Pack                  | 77 02 2 414 852 | <ul> <li>Tire pressure travel pack for measurement and<br/>inflating to the tire pressure.</li> <li>Digital pressure gage with rotating valve head.</li> <li>4 measuring ranges to choose from (PSI, Bar,<br/>kg/cm<sup>2</sup>, kPa). Valve head suitable for all valves<br/>(Schrader valve, French valve). Maximum<br/>measured pressure: 11 bar.</li> <li>Includes practical storage bag with small<br/>packing size. Inflation by CO2 cartridge, 4<br/>included.</li> </ul>  |   | \$86.00  |
| BMW Motorrad<br>Spray Cleaner<br>Polish, 12oz | 07 51 2 364 764 | A detailing spray polish that can be used on all painted, metal and molded plastic surfaces.  |   | \$7.77   |
| BMW Motorrad<br>Chain Cleaner,<br>12oz        | 82 14 2 327 629 | <ul> <li>Safe on all types of drive chains.</li> <li>Prepares chains for re-oiling.</li> <li>Emulsifies and removes dirt, grime and built-up grease.</li> <li>Spray on, rinse off.</li> </ul>   | and the second se | \$8.17   |

| BMW Motorrad<br>Chain Lube<br>with Moly, 12oz | 72 60 2 240 336 | <ul> <li>Contains MOLY and PTFE for superior<br/>lubrication.</li> <li>Dries fast leaving a no-fling film.</li> <li>Resists weather and wear for longer-lasting<br/>protection.</li> <li>Compatible with all drive chains.</li> </ul> |  | \$11.26 |
|---|-----------------|---|--|---------|
|---|-----------------|---|--|---------|

**Note:** All parts come with a two year warranty from the original date of purchase. Introductory prices listed are subjected to change. All parts may not be available at release of bulletin, please check part availability before ordering. Part number may be subjected to change, please check ETK before ordering for current part numbers and parts list.

<sup>1</sup> Racetrack use only, Not for highway or street use

<sup>2</sup> Not in conjunction with tail hump cover for rear seat

<sup>3</sup> Can only be used with standard lead acid battery and not with Li-ion batteries

## My bike is a\_\_\_

### My accessory wish list includes...

| 1) | <br> | <br> |
|----|------|------|
|    |      |      |
|    |      |      |
|    |      |      |
|    |      | <br> |
|    |      | <br> |
| 6) | <br> | <br> |

### **BMW Motorcycles of San Francisco** Parts, Accessories and Apparel Department

790 Bryant Street, San Francisco, CA 94107 (415) 503-9956 parts@bmwmotorcycle.com www.bmwmotorcycle.com

### BMW Motorcycles of Concord

Parts, Accessories and Apparel Department 1240 Willow Pass Road, Concord, CA 94520 (925) 954-4121 parts@bmwmcconcord.com www.bmwmcconcord.com